

Temporary Street Trading Licence Application online form has been received on 04/03/2026 at 12:16:53 by London Borough of Hounslow.

Web reference number: 1397210

Payment reference: [REDACTED]

Page: Previous licence details

- Do you have proof of either ownership of the land, site or premises or written proof that you have obtained the permission of the owner of the land, site or premises to trade from that location? Yes
- All applicants MUST check with the planning team if planning consent is required prior to submission of an application. Have you checked if planning permission is required? Yes
- Have you previously held a street trading licence for either A Boards, tables and chairs or a shop front display? Yes
- Existing Licence Details
 - Existing licence number AB135601/2025-2026
 - Date of expiry Wed 11th Mar 2026

Page: Applicant Details

- Are you applying as an individual or a company? Company
- Please complete if applying as a company
 - Please state the trading name of your company Spirit Pub Company (Services) Ltd
 - Registered address of company Westgate Brewery, Westgate Street, Bury St Edmunds, IP33 1QT
 - Telephone Number [REDACTED]
 - Email [REDACTED]
 - Please state Company Registration No. 05269240

Page: Business Details

- Certificate No [REDACTED]
- Date of Issue Mon 1st Dec 2025

- Date of Expiry Mon 30th Nov 2026
- Please confirm what you looking for 'A' Boards or other Display Objects
- Please upload your public liability certificate?
Greene_King_PL_Prods_TWIMCL_exp_30.11.26.pdf
- You MUST provide a plan of the licenced area for all types of application to the scale of 1:2500 Plan_with_Note_from_Transport.pdf
- You MUST provide photographs of the proposed licensed area
Image.jpeg
- Please provide written proof of either ownership of the land, site or premises or written proof that you have obtained the permission of the owner of the land, site or premises to trade from that location.
Licence_12.09.202511.03.2026.pdf

Page: 'A' Boards or Other Display Objects

- Name of premises Packhorse & Talbot
- Address 145 Chiswick High Road, Chiswick, London, W4 2DT
- Telephone Number [REDACTED]
- Email [REDACTED]
- Size of area to be used for the pavement café/seating area (measurements in Metres) 49.14
- Depth 0.71
- Width 1.24
- Please choose your working days Monday, Tuesday, Wednesday, Thursday, Friday, Saturday, Sunday
- Trading Times

From - am To - pm

Monday	1100	2300
Tuesday	1100	2300
Wednesday	1100	2300
Thursday	1100	2300

From - am To - pm

Friday	1100	2300
Saturday	1100	2300
Sunday	1200	2230

- Where will the 'A' Board or Display Objects be stored at the end of trading hours? Inside the premises

Page: Further information

- Outline the social distancing measures that will be applied when this licence is in use. i.e. waiter/waitress service etc. As per current licence AB135601/2025-2026
- Outline how the table and chairs will be managed. As per current licence AB135601/2025-2026
- Outline how local nuisance will be managed. As per current licence AB135601/2025-2026
- Will the placement of the table and chairs allow for people to pass with a minimum of 1+ metres? Yes



Page: Applicant Declaration

- Declaration understand that if I do not complete the appropriate sections of the application form and provided the required information my application will be rejected.
- Signature of Applicant I confirm all the details provided in this form are accurate to the best my knowledge at the time of submission and confirm I wish my application to be processed.
- Date Wed 4th Mar 2026
- Full Name Matthew May
- Company TLT LLP
- Position in company Agent

*After discussion with Hounslow Traffic & Transport, it has been agreed that the location of the easternmost A Board must not protrude onto Brackley Road. It is to be placed in line with the perimeter of the premises as indicated on this plan so as to not increase the licensed area.



All internal steps to raised areas will comply with the Building Regulations applicable at the time of construction, with a maximum rise of 150mm.



Effective Drinking Area
= 364.7 sq. m.

